

Discrete Darboux based fast inverse nonlinear Fourier transform algorithm for multi-solitons

Chimmalgi, Shrinivas; Wahls, Sander

DOI

[10.1109/ECOC.2017.8346226](https://doi.org/10.1109/ECOC.2017.8346226)

Publication date

2017

Document Version

Accepted author manuscript

Published in

Proceedings 2017 43rd European Conference on Optical Communication (ECOC)

Citation (APA)

Chimmalgi, S., & Wahls, S. (2017). Discrete Darboux based fast inverse nonlinear Fourier transform algorithm for multi-solitons. In P. Andrekson, & L. K. Oxenlöwe (Eds.), *Proceedings 2017 43rd European Conference on Optical Communication (ECOC)* IEEE. <https://doi.org/10.1109/ECOC.2017.8346226>

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

Discrete Darboux based Fast Inverse Nonlinear Fourier Transform Algorithm for Multi-solitons

Shrinivas Chimmalgi⁽¹⁾, Sander Wahls⁽¹⁾

⁽¹⁾ Delft Center for Systems and Control, TU Delft, The Netherlands, s.chimmalgi@student.tudelft.nl

Abstract A fast algorithm for constructing multi-solitons with linear complexity in the number of samples and eigenvalues is introduced. The algorithm is shown to be significantly faster than the conventional Darboux transform in a numerical example, with acceptable error.

Introduction

The nonlinear Fourier transform (NFT) for the nonlinear Schrödinger equation (NSE),

$$i\partial_x q = \partial_t^2 q + 2|q|^2 q, \quad (t, x) \in \mathbb{R} \times \mathbb{R}_+, \quad (1)$$

was first studied by Zakharov and Shabat¹. Here, $q(x, t)$ is the slowly varying complex envelope of the electric field, x is the real spatial coordinate along the fiber and t is retarded time. The NSE is commonly used to model propagation of optical field in a loss-less single mode fiber under Kerr-type focusing nonlinearity¹. The nonlinear Fourier spectrum corresponding to a given initial field $q(0, t)$ consists of the continuous spectrum $\hat{q}(\xi) = b(\xi)/a(\xi)$, $\xi \in \mathbb{R}$ and the discrete part $\{\zeta_k, \tilde{q}_k\} \in \mathbb{C}^2$ given by $a(\zeta_k) = 0$, $\Im(\zeta_k) \geq 0$, $\tilde{q}_k = b(\zeta_k)/\partial_\zeta a(\zeta_k)$. The discrete spectrum consists of the ordered pairs of eigenvalues ζ_k and spectral amplitudes \tilde{q}_k (The precise definitions can be found in¹). It corresponds to the solitonic component of the potential. A signal $q(x, t)$ having only solitonic components (i.e., the continuous spectrum is null) is known as a multi-soliton. The eigenvalues ζ_k do not change as the signal $q(0, t)$ travels through the fiber and the norming constants are simply multiplied by a factor $e^{-4\zeta_k^2 L}$ at $x = L$. Such a simple relationship negates the need for back-propagation, making the use of discrete spectrum interesting for information transmission. Currently there is lot of interest in communications systems based on NFT, many of which specifically use multi-solitons^{2,3,4,10}. The goal of this paper is to introduce an inverse NFT algorithm for multi-solitons which is faster than the classical solution already for relatively low number of eigenvalues and also has a better asymptotic complexity compared to algorithms available in literature¹¹.

Generation of multi-solitons

Given a discrete spectrum $\{\zeta_k, b_k\}$, we need to

compute the corresponding multi-soliton potential. This problem can be approached in several ways. The classical Darboux transform (CDT)⁵ is the standard algorithm for generation of multi-solitons. The CDT has an overall complexity of $\mathcal{O}(K^2 N)$ floating point operations (FLOPS), where K is the number of eigenvalues and N is the number of samples. This means that the algorithm slows down significantly for high numbers of eigenvalues. A few fast algorithms have been published⁶ or are under research¹¹. The fastest algorithm found in literature⁶ has a complexity of $\mathcal{O}(N \log^2 N)$ but does not offer complete control over the norming constants, while the algorithm in¹¹ has a complexity of $\mathcal{O}(N(K + \log^2 N))$. The existing solution¹¹ uses a mixed framework of continuous and discrete algorithms which slows it down. In this paper we work completely in the discrete domain allowing for development of faster algorithm.

New Fast Inverse NFT for Multi-Solitons

We start by outlining the discrete version of the CDT, which will be the basis for the new algorithm. Ablowitz and Ladik⁷ proposed the following general discrete scattering problem,

$$V_{n+1} = \begin{bmatrix} z + R_n S_n & Q_n + z^{-1} S_n \\ R_n + z T_n & z^{-1} + Q_n T_n \end{bmatrix} V_n, \quad (2)$$

where $z = e^{-i\zeta h}$ is the transformed eigenvalue and h is the step-size. The discrete-time potential Q_n is related to the continuous-time potential as $q(nh) = h^{-1} Q_n + \mathcal{O}(h^2)$. The choice $R_n = \pm Q_n^*$ and $S_n = T_n = 0$ leads to a discrete version of the Zakharov-Shabat problem. The two-dimensional eigenfunction is given by $V_n(z)$. The compatibility condition of the discrete eigenvalue problem with the corresponding time-evolution equation gives us the discrete NSE. The dependence on z and t of the terms is omitted for sake of brevity. It has been shown⁷ that the

discrete system in Eq. 2 can be solved with a discrete NFT, which again consists of a continuous spectrum $q^{\tilde{D}}(\xi) = b^D(\xi)/a^D(\xi)$, $|\xi| = 1$, and a discrete spectrum $\{z_k, q_k^D\}$, $a^D(z_k) = 0$, $q_k^{\tilde{D}} = b^D(z_k)/\partial_z a^D(z_k)$ analogous to the continuous system. Xianguo⁸ derived a discrete Darboux approach for adding/removing eigenvalues using the Ablowitz-Ladik eigenvalue problem in Eq. 2 analogous to CDT⁵. Other discretization schemes of the Zakharov-Shabat problem can be found in literature¹¹. In this paper, we use the Split-Magnus (SM) discretization,

$$V_{n+1} = L_n V_n, \quad L_n = \begin{pmatrix} z^{-1} & Q_{n+1/2} \\ R_{n+1/2} & z \end{pmatrix}. \quad (3)$$

Taking a hint from the structure of the discrete Darboux matrix used in⁹, we make the ansatz

$$V'_n = M_n V_n, \quad M_n = \begin{bmatrix} A_n & B_n \\ C_n & D_n \end{bmatrix} \quad (4)$$

$$\begin{aligned} A_n &= z^{-k} + \sum_{j=\{-k+2, -k+4, \dots, k\}} a_n^j z^j, \\ B_n &= \sum_{j=\{-k+1, -k+3, \dots, k-1\}} b_n^j z^j, \\ C_n &= \sum_{j=\{-k+1, -k+3, \dots, k-1\}} c_n^j z^j, \\ D_n &= z^k + \sum_{j=\{-k, -k+2, \dots, k-2\}} d_n^j z^j. \end{aligned} \quad (5)$$

The discrete Darboux matrix M_n has degree k . The ' over the terms denotes the terms after the Darboux update. The initial solution of the system in Eq. 3 for $Q_{n+1/2} = R_{n+1/2} = 0$ is

$$V_n = \begin{bmatrix} z^{-n} & 0 \\ 0 & z^n \end{bmatrix}. \quad (6)$$

Following a procedure similar to the one given in⁸ we can compute all the coefficients in M_n . The details are skipped due to space limitations. Then the potential at a point n can be computed from these Darboux coefficients. To arrive at the exact relation we start with the discretization in Eq. 3 after an update, which satisfies $V'_{n+1} = L'_n V'_n$. But V'_{n+1} can also be found by, $V'_{n+1} = M_{n+1} V_{n+1}$, where M_{n+1} is the discrete Darboux matrix at $n+1$. We can hence write

$$M_{n+1} V_{n+1} = L'_n M_n V_n. \quad (7)$$

Equating the coefficients of different powers of z ,

$$Q'_{n+1/2} = \frac{-b_n^{(-k+1)}}{d_n^{(-k)}}, \quad R'_{n+1/2} = \frac{-c_n^{(k-1)}}{a_n^{(k)}} \quad (8)$$

$$Q'_{n+1/2} = b_{n+1}^{(k-1)}, \quad R'_{n+1/2} = c_{n+1}^{(-k+1)}. \quad (9)$$

Starting with Eq. 9 to compute the potential at $n+1/2$ from the Darboux coefficients at $n+1$, we can then use the relation,

$$V'_n = L_n'^{-1} V'_{n+1}, \quad (10)$$

to compute the Darboux coefficients at n . By iterating between the steps of computing the potential and updating the Darboux coefficients, we can compute the potential at all the staggered grid points $x_n = (n+1/2)h$ starting from $n+1$ to $-\infty$. Similarly, using Eq. 8 and

$$V'_{n+1} = L'_n V'_n, \quad (11)$$

the potential at all the staggered grid points starting from n to ∞ can be computed.

For the numerical implementation we start with a grid of $2N+1$ points from $-N$ to N . The computation of the Darboux coefficients is typically well conditioned at $n = 0$ and hence is chosen as the starting point.

Algorithm

Input: $\{\zeta_k, b_k\}$, h , N

Output: $Q_{n+1/2} = hq((n+1/2)h) + O(h^3)$

- Transform the eigenvalues ($z_k = e^{i\zeta_k h}$).
 - Use Eq. 4 to find the polynomial representation of the eigenfunctions V_n at $n = 0$.
 - For $n = 0, \dots, N$ using Eq. 8 do:
 - $Q'_{n+1/2} = -b_n^{(-k+1)}/d_n^{(-k)}$
 - $R'_{n+1/2} = -Q_{n+1/2}'^*$
 - $V'_{n+1} = L'_n V'_n$
 - For $n = 0, \dots, -N$ using Eq. 9 do:
 - $Q'_{n+1/2} = b_{n+1}^{(k-1)}$
 - $R'_{n-1/2} = -Q_{n-1/2}'^*$
 - $V'_{n-1} = L_n'^{-1} V'_n$
-

We note that this algorithm also works for the trapezoidal discretization¹¹.

Complexity Analysis

The performance of the fast algorithm was compared against an efficient implementation of classical Darboux transform (Algorithm 2 in¹²) in MATLAB. Through manual counting, for K eigenvalues and N samples, the CDT algorithm requires $NK(15 + 11K)/2$ FLOPS while the fast algorithm requires $(81K^2)/2 + (20N + 37/2)K + 15N - 36$

FLOPS. For communication problems $K < N$ and hence the fast algorithm has a computational complexity of $\mathcal{O}(KN)$ while CDT has $\mathcal{O}(K^2N)$.

Numerical Example

As a practical example, the discrete spectrum from the experiment conducted in¹⁰ was chosen for some arbitrary 14 bits ($K = 7$) of data. The multi-soliton solution was constructed on the approximately 14π support $[-22 \ 22]$. Based on width of the signal and speed of the DAC in¹⁰ a step-size of 0.08 was chosen ($N = 551$). The complexity analysis suggests that the runtime t_f of the new algorithm should be around half as large as t_{CDT} . When comparing the runtimes of actual MATLAB implementations, we found that $t_{CDT}/t_f = 1.2$. The spectrum mentioned in¹⁰ is extended to 11 eigenvalues ($\zeta_k = [-1 + 0.45i, -0.8 + 0.3i, -0.6 + 0.45i, -0.4 + 0.30i, -0.2 + 0.45i, 0.0 + 0.30i, 0.2 + 0.45i, 0.4 + 0.30i, 0.6 + 0.45i, 0.8 + 0.30i, 1.0 + 0.45i]$) with the independently modulated spectral amplitudes ($\ln(|\tilde{q}_k|) = [11.85, 7.06, 7.69, 7.69, 5, 3.81, 5, 1.93, 1.93, -0.62, -5.43]$) for some arbitrary 22 bits of data. The new algorithm is two times faster than CDT, i.e. $t_{CDT}/t_f = 2$, for the extended discrete spectrum. The error in the generated potentials, which arises because the new algorithm works in a discretized model, was low as shown in Fig. 1.




Fig. 1: The error in the potential constructed by the fast algorithm.

Conclusions

A fast inverse nonlinear Fourier transform algorithm for multi-solitons was introduced based on a fully discrete framework. The algorithm can construct the multi-soliton potentials with acceptable errors faster than CDT even if the number of eigenvalues is small, which was demonstrated with a practical example¹⁰ and has a FLOPS

complexity of $\mathcal{O}(KN)$. The stated algorithm can be extended to different discretizations of the Zakharov-Shabat problem. In further experiments not reported here, it was observed that the numerical precision of the floating point operations needs to be increased in the limit $h \rightarrow 0$ in order to avoid the break down of the new algorithm. This behaviour is under study.

Acknowledgements

This project has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme (grant agreement No 716669). The authors are grateful to Dr. Vishal Vaibhav for insightful discussions and suggestions.

References

- [1] V. E. Zakharov and A. B. Shabat, "Exact Theory of Two-Dimensional Self-Focusing and One-Dimensional Self-Modulation of Waves in Nonlinear Media", *Soviet Physics JETP*, January 1972.
- [2] A. Hasegawa and T. Nyu, "Eigenvalue Communication", *J Lightwave Technol*, 11(3), p. 395, 1993.
- [3] S. Hari et al, "Multieigenvalue Communication", *J Lightwave Technol*, 34(13), p. 3110, 2016.
- [4] M. Yousefi and F. Kschischang, "Information Transmission Using the Nonlinear Fourier Transform, Part III: Spectrum Modulation", *IEEE T Inform Theory*, 60(7), p. 4346, 2014.
- [5] J. Lin, "Evolution of the scattering data under the classical Darboux transform for $su(2)$ soliton systems", *Acta Mathematicae Applicatae Sinica*, 6(4), p. 308, 1990.
- [6] S. Wahls and H. V. Poor, "Fast inverse nonlinear Fourier transform for generating multi-solitons in optical fiber", in *IEEE Int Symp Info*, June 2015, pp. 1676-1680.
- [7] M. Ablowitz and J. Ladik, "Nonlinear differential-difference equations and Fourier analysis", *J. Math. Phys.*, 17(6), p. 1011, 1976.
- [8] G. Xianguo, "Darboux transformation of the discrete Ablowitz-Ladik eigenvalue problem", *Acta Math. Sci.*, Vol. 9, pp. 21-6, 1989.
- [9] R. Guo and X.J. Zhao, "Discrete Hirota equation: discrete Darboux transformation and new discrete soliton solutions", *Nonlinear Dynamics*, vol. 84, pp. 1901-1907, 2016.
- [10] H. Buelow, V. Aref and W. Idler, "Transmission of Waveforms Determined by 7 Eigenvalues with PSK-Modulated Spectral Amplitudes," *ECOC 2016*, Dusseldorf, Germany, 2016, pp. 412-414.
- [11] V. Vaibhav, "Fast Inverse Nonlinear Fourier Transformation using Exponential One-Step Methods, Part I: Darboux Transformation", arXiv:1704.00951v1 [physics.comp-ph].
- [12] V. Aref, "Control and Detection of Discrete Spectral Amplitudes in Nonlinear Fourier Spectrum", arXiv:1605.06328v1 [math.NA].