

A conceptual model to explain, predict, and improve user acceptance of driverless 4P vehicles

Nordhoff, Sina; van Arem, Bart; Happee, Riender

Publication date

2016

Document Version

Accepted author manuscript

Published in

2016 TRB 95th Annual Meeting Compendium of Papers

Citation (APA)

Nordhoff, S., van Arem, B., & Happee, R. (2016). A conceptual model to explain, predict, and improve user acceptance of driverless 4P vehicles. In *2016 TRB 95th Annual Meeting Compendium of Papers* Article 16-5526 Transportation Research Board (TRB).

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

1
2
3
4
5
6
7
8
9
10
11
12
13

A Conceptual Model to Explain, Predict, and Improve User Acceptance of Driverless Vehicles

14
15
16
17
18
19
20
21
22
23
24
25
26
27

Sina Nordhoff
Department of Transport & Planning
Faculty of Civil Engineering and Geosciences
Delft University of Technology
Email: s.nordhoff@tudelft.nl
Innovation Centre for Mobility and Societal Change
Email: sina.nordhoff@innoz.de

28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45

Bart van Arem
Department of Transport and Planning
Faculty of Civil Engineering and Geosciences
Delft University of Technology
Email: b.vanarem@tudelft.nl

Riender Happee
Faculty of Mechanical, Maritime and Materials Engineering &
Faculty of Civil Engineering and Geosciences
Delft University of Technology
Email: R.Happee@tudelft.nl

Word count: 7,117 words text + 1 figure x 250 words (each) = 7,367 words

95th Annual Meeting of the Transportation Research Board,
January 2016, Washington D.C.

1 **ABSTRACT**

2 This paper represents a synthesis of existing empirical acceptance studies on
3 automated driving and scientific literature on technology acceptance. The
4 objective of this paper is to study user acceptance of driverless vehicles that fall
5 into SAE level 4, as they operate within the constraints of dedicated infrastructure.
6 The review indicates that previous acceptance studies on automated driving are
7 skewed towards car users, creating a need for targeted acceptance studies,
8 including users of public transport. For obvious reasons previous studies targeted
9 respondents who had not experienced driverless vehicles. As driverless vehicle
10 are currently being demonstrated in pilot projects, we can now start to investigate
11 their acceptance by users inside and outside of such vehicles. Addressing the
12 multidimensional nature of acceptance, we develop a conceptual model that
13 integrates a holistic and comprehensive set of variables to explain, predict and
14 improve user acceptance of driverless vehicles. It links two dominant models from
15 the technology acceptance management literature, the Unified Theory of
16 Acceptance and Technology Use (UTAUT) and the Pleasure-Arousal-
17 Dominance-Framework (PAD), with a number of external variables that are
18 divided into system-specific, user and contextual characteristics.

19 *Keywords: acceptance, driverless vehicles, human factors, full automation, real*
20 *scenarios, test rides*

1 INTRODUCTION

2 There are two main paths to vehicle automation. One is the evolutionary,
3 incremental path of vehicle automation by the automotive industry, which is
4 commercializing level 2 or partially-automated driving (SAE standard J3016).
5 Under partially automated driving, the driver is not physically operating the
6 vehicle, but supervises the system permanently to be able to resume manual
7 control at any time (1, 2). Recently, a number of Original Equipment
8 Manufacturers (OEMs) have announced intentions to bring self-driving cars to
9 market by 2020, with "self-driving" meaning vehicles that assist rather than
10 replace the driver.

11 The revolutionary approach towards full automation is represented by a number of
12 projects, such as:

- 13
- 14 • Google's self-driving minis, which have been running on closed test tracks
15 in Mountain View in California (U.S.A.) and receiving ample media
16 attention (3),
- 17 • the EU-project CityMobil2 that implements automated road transport
18 systems in several urban environments across Europe (4),
- 19 • the LUTZ Pathfinder project in Milton Keynes (UK) that foresees the
20 deployment of self-driving pods on footpaths and pedestrianized areas (5),
21 and
- 22 • the WEpods project, which develops two self-driving vehicles without a
23 steering wheel or pedals. This project is in the Foodvalley region between
24 the Ede/Wageningen railway station and Wageningen University and
25 Research Centre (WUR) and also on the WUR campus in the Netherlands
26 from mid 2016 onwards (6).

27

28 The vehicles deployed within these projects fall into level 4 or highly-automated
29 driving (HAD) in the SAE standard, defined as "the driving mode specific
30 performance by an automated driving system of all aspects of the dynamic driving
31 task, even if a human driver does not respond appropriately to a request to
32 intervene" (2). SAE level 4 vehicles can be regular vehicles (4R) or 'pod' like
33 vehicles (4P) that each drive automatically in restricted conditions without any
34 need for driver action. While 4R can be used in manual mode outside its
35 operational range by a human driver, 4P can't, because they are operated without
36 a driver in the vehicle and can see some level of supervision by a control room.
37 This paper focuses on user acceptance of these 4P vehicles, for which we will use
38 the term "driverless" throughout the paper. In particular, we focus on driverless
39 vehicles that function as feeder systems to public transport, where they can
40 provide substantial cost reductions. Integrating public transport and driverless
41 vehicles into a driverless transportation system could be the key breakthrough that
42 radically spurs and pushes the development and commercialization of automated
43 vehicles. This driverless transportation system would connect driverless vehicles
44 to public transport as nodes in a dense, multidirectional and reciprocal network.

45 These driverless vehicles have a high potential to solve our transport-related
46 problems such as congestion, energy dependency on oil resources, parking
47 scarcity, pollution, noise, safety and a general degradation of the quality of social
48 life (7). This will be true in rural and urban areas, as they can provide seamless,
49 on-demand, door-to-door and 24/7 mobility to all, including people who cannot
50 drive due to age or physical limitations. However, if they are not accepted, their

1 potentials to achieve the stated benefits will not be realized (8, 9). This makes user
2 acceptance very important, as it is a prerequisite for implementation success and
3 determines whether they will be actually used. It would be unproductive to invest
4 in designing and building these driverless vehicles if they will never be purchased
5 and used (10).

6 Previous research on user acceptance of automated driving has mainly studied
7 user acceptance by conventional research methods (e.g. surveys, focus groups),
8 often involving users without any real and concrete experiences with automated
9 driving. Research studies on the general opinions, concerns and acceptance of
10 automated driving (1, 11, 12, 15-32) largely neglected systems at SAE level 4 and
11 5. As driverless vehicles have not been commercialized yet, users have only a
12 vague idea and cannot adequately imagine the possible interactions with and
13 taking a ride in a driverless vehicle (11). This limits the validity of previous user
14 acceptance studies of automated driving (12), as users tend to under- or overvalue
15 new technologies with which they have not had any concrete and real experiences
16 yet (13), as the latter tend to be too psychologically distant and abstract (14).
17 Also, the majority of studies considered car drivers as the target population,
18 because it is generally assumed that self-driving vehicles replace conventional
19 vehicles. However, driverless vehicles also replace buses or trains, meaning that
20 the perceptions of public transport users need to be taken into account as well.
21 Other potential user groups that use, operate or make decisions about the
22 implementation of driverless vehicles need to be considered as well in order to
23 develop a holistic and comprehensive definition for the acceptance of driverless
24 vehicles (33).

25 Moreover, to compensate for the lack of real user experiences with driverless
26 vehicles that may bias research results, most studies sampled lead users or users
27 with vehicle automation experiences. This paper polls both first and late adopters,
28 linking the evaluation of user acceptance to the technological life cycle.

29 To the best of our knowledge, no conceptual model is available that allows us to
30 explain, predict and improve user acceptance of driverless vehicles. Therefore, we
31 developed a conceptual model that represents the synthesis of existing acceptance
32 studies on automated driving with scientific literature from other domains. The
33 main benefit of this paper is that it presents a summary of the status quo of
34 research on user acceptance of automated driving and translates this into a model,
35 a step which has not been taken before. This model links two dominant models
36 from the technology acceptance management literature with context-specific
37 variables that are pivotal for the study of user acceptance of driverless vehicles.
38 As a result, this study contributes to existing and creates new research on
39 technology acceptance. It represents a basis for further validation and
40 quantification by empirical research, including focus groups, interviews,
41 questionnaires, and test rides with real users either using or encountering a
42 driverless vehicle on real roads. The paper ends with a discussion and conclusion
43 that critically reflect on what was achieved and learnt in this paper.

44 45 **LITERATURE REVIEW**

46 Existing acceptance studies on automated driving and the scientific literature from
47 other domains give us valuable insights into the potential factors influencing user
48 acceptance of driverless vehicles. The determinants of acceptance derive from the
49 technology itself, from its users, and from the context in which it is embedded.
50 Therefore, the drivers are divided into system-specific, individual and contextual
51 characteristics. In a second step, these external variables are aligned with

1 dominant models and variables that have been identified by the scientific
2 literature.

4 **ACCEPTANCE STUDIES ON AUTOMATED DRIVING**

6 **Conceptualization and Operationalization of Acceptance**

7 The conceptualization of acceptance in this paper incorporates three levels: the
8 user, the time perspective, and the different dimensions of acceptance. Regarding
9 the user, this paper distinguishes between individual and societal acceptance that
10 address two questions: First, is the individual user willing to accept and adopt
11 driverless vehicles (individual acceptance)? Second, are we as a society ready to
12 accept a traffic system with driverless vehicles (societal acceptance) (12)?

13 Second, the time perspective relates to the measurement of acceptance before,
14 during, and after experiencing driverless vehicles. The assessment of acceptance
15 before the user encounters a driverless vehicle defines potential acceptance as
16 “prospective judgment of measures to be introduced in the future” (34).

17 Third, the dimensional nature of acceptance refers to Adell's (33)
18 conceptualization of acceptance into five categories: (1) using the word accept, (2)
19 satisfying needs and requirements of users and other stakeholders, (3) sum of all
20 attitudes, (4) willingness to use, (5) and actual use.

21 In line with the first category, acceptance can involve the support or advocacy of
22 driverless vehicles without actually using them (adoption).

23 The second and third categories relate to the perceived usefulness of and
24 satisfaction with the system. These can be measured by Van der Laan et al.'s
25 usefulness and satisfaction scale, which is the most commonly used instrument to
26 operationalize acceptance and whose validity, reliability and robustness have been
27 confirmed (34, 35). Additional indicators of acceptance falling into this category
28 are efficiency, effectiveness and equity, whose relevance has been confirmed by
29 studies in the driving domain (36). In particular, the inclusion of equity as the
30 distribution of costs and benefits among affected parties is important. Including
31 equity provides valuable insights when (penetration level) users would adopt
32 driverless vehicles and for whom they would be the most beneficial. In this
33 context, the inclusion of social acceptance as an indirect evaluation of the system
34 consequences should be mentioned, because the debate of automated vehicles
35 necessarily involves potential societal consequences, such as unemployment
36 among bus or taxi drivers.

37 The fourth category, willingness to use, is usually operationalized by willingness
38 to pay or by affordability. The willingness to pay questionnaire by Brookhuis,
39 Uneken, and Nilsson is a common measurement. Its relevance has been
40 corroborated within and across the domain of automated driving (34). Contrary to
41 Vlassenroot and Brookhuis (37), we do not assume causal-order relationships
42 between efficiency, effectiveness, equity, satisfaction, usefulness, and willingness
43 to pay, because it is currently very difficult to determine the exact order of these
44 indicators.

45 Finally, the conceptualization of acceptance, as built within the scope of this
46 paper, should be linked to category 5 (actual usage) because, without actual usage,
47 the benefits of driverless vehicles will not materialize (9). As they are still far
48 from being available to the general public for everyday use, actual usage is
49 operationalized by behavioral intention as a commonly used proxy variable for
50 actual purchase or usage behavior (38). Behavioral intention measures the

1 intensity or frequency of usage that users expect when driverless vehicles are
2 commercialized.

4 **SYSTEM-SPECIFIC CHARACTERISTICS**

6 **Unified Theory of Acceptance and Technology Use - UTAUT**

7 This paper applies the Unified Theory of Acceptance and Use of Technology
8 (UTAUT) that was developed by Venkatesh, Morris, Davis, and Davis (38) in a
9 comprehensive review of eight of the most significant acceptance models. Their
10 theory outperformed the previous eight models by accounting for 70% of the
11 variance in use. The UTAUT incorporates four determinants of user acceptance:
12 performance expectancy, effort expectancy, social influence and facilitating
13 conditions (34). Its appropriateness for the study of user acceptance of driver
14 assistance system has been confirmed (35).

15 Concerning performance expectancy, previous studies point to the perceived
16 advantages of automated vehicles relating to different dimensions of users'
17 driving performance: traffic safety, driver productivity, traffic flow, and fuel and
18 emission efficiency. Investigating public opinion (n=1,533) in the US, UK and
19 Australia, Schoettle and Sivak (19) found that respondents expected automated
20 vehicles to lead to crash reduction (70%), fewer emissions (64%) and fuel
21 consumption (72%), improved traffic congestion (52%) or reduced travel time
22 (57%). Kockelman, Bansal, and Singh (28) identified three main issues that
23 respondents associate most with automated vehicles: (1) equipment and system
24 failure, (2) interactions with manually driven vehicles, and (3) affordability. Fewer
25 crashes, lower emissions, and better fuel economy were the three main benefits
26 respondents named, and these were almost equally weighted. The reduction in
27 crashes, however, received the highest support with 63%. The ability of automated
28 vehicles to reduce traffic congestion was questioned by 31% of respondents
29 (n=347). Thus, we expect:

30
31 *H1: Performance expectancy has a positive effect on acceptance.*

32
33 The relevance of effort expectancy was corroborated by Kyriakidis, Happee, and
34 De Winter (1), who found that fully automated driving is perceived to be easier
35 than manual driving and less difficult than partially- and highly-automated
36 driving. This paper also assumes that driverless vehicles are easier to operate than
37 either conventional cars or public transport, because they do not require any driver
38 input apart from providing navigations via an interface that is intuitive and easy to
39 use. This also explains why we drop "facilitating conditions" from the model, as
40 the usage of driverless vehicles is mainly restricted to providing navigational
41 input. The decision to omit "facilitating conditions" is in close agreement with a
42 previous study, which utilized the UTAUT model to study user acceptance of
43 driver assistance systems (36).

44 On the basis of these considerations, it is plausible to formulate the following
45 hypothesis:

46
47 *H2: Effort expectancy has a positive effect on acceptance.*

48
49 There is only one study that we are aware of which studied the role of peer
50 pressure effects (social influence) on the adoption of automated vehicles.

1 Kockelman, Bansal, and Singh (28) found that 50% of respondents (n=347) would
 2 prefer their family, friends, or neighbors to use automated vehicles before they
 3 adopt them. On the basis of the theoretical propositions that mode choice behavior
 4 is partly motivated by social norms and the strong role of the car as status symbol,
 5 a “private cocoon” and “sanctuary escape from the world” that provides
 6 flexibility, autonomy and an “interminable pull of sensory experience (38), we
 7 assume that:

8
 9 *H3: Social influence predicts the extent to which driverless vehicles*
 10 *are accepted.*

11 **Pleasure-Arousal-Dominance-Framework - PAD**

12 The perception of product technology can be multidimensional and include a
 13 broad range of factors. In particular, the hedonic aspects of technology use can
 14 significantly impact the satisfaction of users at a level beyond its utilitarian
 15 aspects. To capture users’ affective reactions to technology use, mood and
 16 emotions, this publication relies on Mehrabian and Russel’s (1974) “Pleasure,
 17 Arousal and Dominance paradigm of affect (PAD)”. This paradigm rests on three
 18 dimensions to measure the feelings of users: pleasure, arousal and dominance
 19 (13).

20
 21 Achieving the “wow” factor when being driven by a driverless vehicle is a
 22 challenge, because driving is done by an inboard computer. Kyriakidis et al. (1)
 23 found that manual driving is considered to be the most fun part of driving and full
 24 automation is the least enjoyable mode. This was corroborated by Rödel, Stadler,
 25 Meschtscherjakov, and Tscheligi (39), who describe fun as the degree to which
 26 using a specific system is enjoyable, and that the fun declines with higher levels
 27 of automation. The “wow” factor then relates to the multidimensional use of the
 28 space in driverless vehicles, which can be adjusted to the trip characteristics and
 29 user preferences. This addresses one of the most remarkable benefits of driverless
 30 vehicles: turning wasted driving time into a valuable economic asset. For
 31 example, a *commuting vehicle* picks people up sharing a similar route to work, in
 32 which the time a person is being driven can be used effectively, such as checking
 33 emails or holding phone conferences. A *yoga vehicle* can be a source of
 34 inspiration, an isle of the mind or creativity, which could be especially attractive
 35 for people in metropolitan areas. It can give employees of large business districts
 36 or campuses a moment to breathe and take a step back from their busy and hectic
 37 life and regain motivation. This will be translated into productivity and eventually
 38 firm growth. A *social networking vehicle* can connect people with similar (leisure)
 39 interests in different domains, such as culture, sports, clubbing or music. In this
 40 sense, the *social networking vehicle* has a social function, because it brings
 41 together people in urban areas, which will be pivotal in light of the increasing
 42 number of people moving into the cities and the resulting anonymity and social
 43 isolation. The rethinking of vehicle space that no longer serves the ultimate
 44 purpose of driving, but that can be used in multiple, more efficient ways may be
 45 one fundamental breakthrough to change the way we move, live and feel. In this
 46 way, driverless vehicles redefine the interaction between humans and their vehicle
 47 and the joy of being driven. In this vein, we assume that driverless vehicles are
 48 perceived to be both enjoyable and exiting and derive the following hypotheses:

49
 50 *H4: Pleasure has a positive effect on acceptance.*

1 *H5: Arousal has a positive effect on acceptance.*

2
3 Dominance is equally applicable to driverless vehicles, because (driving) control
4 is delegated to an inboard computer, and users will only indicate their desired
5 destination. Some level of dominance can be provided by giving users at least the
6 option to stop or redirect the vehicle at any time, to open the doors, while
7 information on travel time and expected arrival will contribute to acceptance.
8 Users shall develop trust in automation. Choi and Ji (41) define three dimensions
9 of trust, which are system transparency, technical competence and situation
10 management. System transparency is defined as the degree to which users can
11 predict and understand the operation of automated vehicles. Technical competence
12 relates to the degree of user perception on the performance of the automated
13 vehicle. Situation management is the belief that the user can resume manual
14 control in a situation whenever this is desired (40). Their findings point out that
15 47.4% of the variance in the adoption of automated vehicles was explained by
16 these three dimensions. Thus, the issue of trust will relate to perceived safety, and
17 to intuitive (expected) control strategies, including the interaction with other road
18 users. This again relates to the automation, informing users and other road users
19 of its intentions. (Trust will be further addressed below under “psychological
20 characteristics”)

21
22 *H6: Dominance and information will affect acceptance of driverless*
23 *vehicles.*

24 **Vehicle Characteristics**

25
26 Previous research studies document that user acceptance varies with the level of
27 automation. Van der Laan et al. (10) predict that systems restricting driver’s
28 behavior are less likely to be accepted than non-restrictive, informative systems.
29 This is rejected by Kyriakidis et al. (1), who found a higher willingness to pay for
30 full than for high automation; however, it was supported by Schoettle and Sivak
31 (20), who asked licensed drivers in the U.S.A. (n=505) about their preferred level
32 of automation. In their study, 43.8% of respondents preferred no self-driving car,
33 40.6% a partially automated car, and 15.6% a completely self-driving car. 96.2%
34 preferred to have actuators for manual control, such as a steering wheel, gas or
35 brake pedals, in a completely self-driving car. Thus, we expect:

36
37 *H7: Level of automation is negatively correlated with acceptance.*

38
39 As was mentioned in the introduction, there are two types of automated vehicles:
40 (1) conventional passenger vehicles transformed with built-in automation
41 technology, and (2) driverless 4P vehicles with no steering wheel or pedals. This
42 paper evaluates acceptance of both regular 4R and 4P vehicles to investigate the
43 influence of vehicle type (brand) on user acceptance. Additional predictors on the
44 propensity to adopt driverless vehicles include speed, size, access and service
45 quality (41). The service quality indicators were adopted by the evaluation
46 framework of the EU CityMobil project - the predecessor of CityMobil2. They
47 comprise information (information availability and comprehensibility), ticketing
48 (user satisfaction), cleanliness (perceived cleanliness), comfort (perceived
49 comfort), privacy (perceived level of privacy) and perception of safety and
50 security (perception of safety, fear of attack) (42, 43). We hypothesize the

1 following:

2
3 *H8: There are correlations between vehicle type, brand, speed, size,*
4 *access, service quality and acceptance.*
5

6 **INDIVIDUAL CHARACTERISTICS**

7 The importance of individual personal characteristics in the acceptance or
8 rejection of automated driving (44) has been highlighted by prior acceptance
9 studies on automated driving, as mentioned before. This paper divides individual
10 personal characteristics into socio-demographic factors, psychological, and
11 mobility characteristics.
12

13 **Socio-Demographic Factors**

14 Various researchers have conducted studies on automated driving systems in the
15 past three years (1, 11, 12, 15-32). These studies have consistently shown that
16 men had a higher interest in automated driving than women, more positive
17 attitudes towards automated driving, and a higher willingness to use and buy the
18 technology. Kyriakidis et al. (1) revealed that men were less worried about
19 automation failures and control than women, but were more concerned with
20 liability issues (24). Recently, the Eurobarometer survey on Autonomous Systems
21 revealed that men feel more comfortable travelling in an automated vehicle “with
22 little or no intervention by the human user” than do women (27% vs. 16%)
23 (n=27,801) (25). The only study that we are aware of that has shown a higher
24 interest among women than men in using automated vehicles than men is the
25 focus group study using 32 people from Los Angeles (CA), Chicago (IL), and
26 Iselin (NJ) from the advisory services company KPMG (17). However, in these
27 studies women were generally underrepresented, which may bias research results
28 and needs to be taken into account when interpreting results from studies on
29 automated driving.

30 The reported effect of age on user acceptance of automated driving is also
31 inconsistent. Kockelman, Bansal and Singh (28) found that elderly people have a
32 lower willingness to pay for automated vehicles, probably because they are
33 concerned about learning to use them and do not trust them. The global market
34 research company Power & Associates (11) used a survey of 17,400 vehicle
35 owners to study their willingness to purchase automated driving technology. The
36 highest interest for fully automated driving came from men (25%) between 18 and
37 37 (30%) who live in urban areas (30%). The results of the second and third
38 studies with over 15,000 respondents were in line with this study (12, 13).

39 Ipsos MORI (28) conducted a survey with 1,001 British people between 16 and 75
40 years in June 2014. It was found that people living in congested cities found
41 automated driving technology more important than people living in less urban
42 environments. Doing focus groups with Berlin residents, Fraedrich and Lenz (25)
43 found that spending time in the car for other secondary tasks has seen negative
44 connotations for the achievement-oriented society, because a distinction between
45 private and working time is more difficult to achieve. Study respondents point to
46 the value of driving time, as it allows drivers to do only one task at a time with
47 manual vehicle steering being a nice diversification from office work.

48 People with a higher income are most concerned with liability and less concerned
49 with control issues, whereas lower-income people are more concerned with safety
50 and control. Both lower and higher income people are concerned about costs (24).

1 People with a higher income would be willing to pay more for their next vehicle
 2 and for vehicles equipped with automated driving features (1). Closely related to
 3 this is the effect of education: people who finished their education at age 20 or
 4 older are more likely than those finishing their education at 15 or younger to feel
 5 comfortable traveling in an automated car (28% vs. 11%). This may correlate with
 6 employment status in that managers are the most likely and house persons the
 7 least likely to feel comfortable in an automated vehicle (31% vs. 15%) (26).

8 The attractiveness of driverless vehicles for people too young to drive indicates
 9 that the family situation (e.g. number of children) explains some of the variation
 10 in the acceptance to use driverless vehicles. Research suggests that a higher
 11 number of children is positively correlated to the willingness to pay for driverless
 12 vehicles (27). At the same time parents, are also worried about a driverless robot
 13 that chauffeurs their children around without supervision (16).

14 Experience or familiarity with automation is likely to substantially influence
 15 acceptance. A majority at least stated that they have heard of automated vehicles
 16 (25), which is in line with other acceptance studies (17, 27). Kyriakidis et al. (1)
 17 found that people who currently use adaptive cruise control in their vehicles are
 18 more likely to pay for automated vehicles, as they feel more comfortable with the
 19 removal of the steering wheel and with data transmission. Study findings also
 20 point to the more positive attitudes of users about their driver assistance systems
 21 in their cars after actual experience with the systems (45).

22 Familiarity and experience with automated vehicles may in turn relate to the tech-
 23 savviness of individuals (27), suggesting that tech-savviness has a positive
 24 influence on acceptance.

25 Thus, it seems plausible to hypothesize:

26
 27 *H9: Young, tech-savvy, full-time male workers in urban areas with*
 28 *children in their household and experience with vehicle automation*
 29 *are likely to use driverless vehicles more frequently.*

30
 31 Even though survey findings are diverse, we expect that driverless vehicles are
 32 especially attractive for customer segments that have been previously excluded
 33 from using a private vehicle. They may provide enhanced mobility and create
 34 functional benefits, which will be pivotal in acceptance, simply because they can
 35 make travelling feasible and affordable. Thus:

36
 37 *H10: Elderly people and people that are too young to legally drive a*
 38 *car are more likely to accept and use driverless vehicles.*

39 **Mobility Characteristics**

40
 41 This paper assumes that the current mobility behavior of individuals influences
 42 their propensity to accept and use driverless vehicles. Cynganski, Fraedrich and
 43 Lenz (46) found that the activities respondents would engage in while in a fully
 44 automated car are similar to the ones they currently perform when driving a car,
 45 long-distance train or public transport. They include focusing on the ride and
 46 route, listening to music, chatting with other passengers, and enjoying the ride and
 47 scenery. Only a small percentage sees working in the car, surfing the internet, or
 48 watching movies as benefit of fully automated vehicles. This is in line with
 49 Kockelman et al. (28), who found that 75% of respondents wanted to talk or text
 50 with friends and look out of the window while in a fully automated car. These

1 findings contradict both of Autoscout24, which found 33% of study respondents
 2 wanted to use the car as mobile office (25) and of Kyriakidis et al. (1), who found
 3 that the willingness to rest/sleep, watch movies, or read during fully automated
 4 driving substantially increases as compared to highly automated driving. Hence, it
 5 is reasonable to assume that:

6
 7 *H11: The productivity of driving time has a positive effect on*
 8 *acceptance.*

9
 10 Kyriakidis et al. (1) also found that individuals who drive more would be willing
 11 to pay more for automated vehicles, which parallels the findings of Kockelman et
 12 al. (28) who found that individuals travelling more and living farther away from
 13 their workplace are more willing to pay for full rather than partial automation.
 14 Possession of a driver's license is negatively correlated with the likelihood to use
 15 automated vehicles, probably because individuals fear a loss of driving
 16 enjoyment, when automated vehicles become a common mode of transport (25).
 17 This finding may correspond with the results of Bazilinskyy, Kyriakidis, and
 18 Winter (41) who analyzed 1,952 comments extracted from three online surveys
 19 with 8,862 respondents from 112 countries. They found that respondents who
 20 have a negative attitude towards automated driving also prefer to have manual
 21 vehicle control. Furthermore, we assume that the number of privately-owned cars
 22 is negatively related to the acceptance of driverless cars, because access to private
 23 mobility can reduce incentives to use driverless vehicles. The reverse should be
 24 the case for access to and frequency of using public transport (e.g. season ticket)
 25 which is likely to positively influence acceptance. The number of past crash
 26 experiences is positively correlated with individuals' willingness to pay for
 27 automated vehicles, indicating that such persons appreciate the enhanced safety
 28 benefits of these vehicles (25). As a result, we hypothesize:

29
 30 *H12: Driving mileage, past crash experiences and access to and*
 31 *frequency of using public transport are positively and possession of a*
 32 *driver's license and private vehicle ownership negatively related to*
 33 *the acceptance of driverless vehicles.*

34 35 **Psychological Characteristics**

36 There are two driving-related psychological constructs that will be considered as
 37 potential determinants of user acceptance of driverless vehicles: locus of control
 38 (internal and external) and sensation seeking. Individuals with an internal locus of
 39 control tend to trust their own skills and abilities rather than an automated driving
 40 system, preferring to maintain direct involvement with the system regardless of
 41 how safe or reliable it is. Externals tend to believe they can't control external
 42 events that affect them and may be more willing to surrender control to the
 43 automated driving system and attribute the behavior of the vehicle to the system
 44 rather than to their own activities (11, 43). Therefore, we expect that:

45
 46 *H13: Individuals with a strong internal locus of control are less likely*
 47 *to adopt driverless vehicles than individuals with a strong external*
 48 *locus of control.*

49
 50 Sensation seeking is associated with a multitude of risky behaviors, such as

1 gambling, smoking, and risky driving, including speeding and driving while
 2 intoxicated. High-sensation seekers tend to drive faster and less carefully with
 3 smaller distances between vehicles and with heavy braking (13). For these people,
 4 delegating control to an automated driving system may lower the thrill and
 5 sensory experience of driving. In contrast to the assumptions by Payre et al. (11)
 6 and in line with Kyriakidis et al. (1), we expect that:

7
 8 *H14: High-sensation seekers are less likely to accept and use*
 9 *driverless vehicles than are low-sensation seekers.*

10
 11 A recent study by Choi and Ji (41) supports the claim that trust is a major
 12 determinant to predicting the reliance on and adoption of automated vehicles. The
 13 KPMG report (16) discovered that the discussions about fully automated cars
 14 were more on handling, safety, innovation and trust, and less on the power of the
 15 engine, transmission and styling. Bazilinskyy et al. (41) found that a portion of the
 16 population does not trust automated vehicles, indicating a negative attitude
 17 towards them. They prefer either manual or partially- automated to fully-
 18 automated driving. However, even though 9 respondents do not trust automated
 19 vehicles, they have a positive attitude towards automated driving (24). As
 20 driverless vehicles control vehicle steering, deceleration and acceleration, we
 21 hypothesize that:

22
 23 *H15: A high level of trust towards driverless vehicles is a requirement*
 24 *for acceptance.*

25 26 **CONTEXTUAL CHARACTERISTICS**

27 28 **Introduction Scenario**

29 This publication assumes that the manner in which automated vehicles are made
 30 available to the public influences the extent to which they will be accepted and
 31 used. Howard and Dai (24) revealed in their survey (n=107) that study
 32 participants believe that self-driving vehicles should operate with normal traffic
 33 (46%) or in separate lanes (38%), which parallels the results of Vöge and
 34 McDonald (41) who found that respondents were concerned about a mixed traffic
 35 situation between automated and manually driven vehicles or other road users.
 36 The Continental Mobility Study 2015 (19) 68% of the German (n=1,800) and
 37 54% of the U.S. respondents (n=2,300) preferred to use automated driving in
 38 monotonous or stressful driving situations. This corresponds with the Continental
 39 Mobility 2013 (18), which found that respondents would like to use automated
 40 driving on long freeway journeys (67%), in traffic jams (52%), on rural roads
 41 (36%) and in city traffic (34%). Payre et al. (11) found that 71% of respondents
 42 would like to use a fully automated vehicle when being impaired by alcohol, drug
 43 or medication. We hypothesize that:

44
 45 *H16: The traffic situation in which driverless vehicles are to be used*
 46 *accounts some of the variance in acceptance.*

47 48 **National Differences**

49 This paper evaluates user acceptance in the context of pilots within different
 countries. The relevance of cross-national differences for the acceptance of

1 automated vehicles has been highlighted by studies on automated driving as
2 mentioned before. Begg (20) surveyed over 3,500 London transport professionals
3 on their perceptions of whether and how soon they expected automated vehicles to
4 become a reality. 20% of respondents believed that fully-automated vehicles will
5 commonplace in the UK by 2040, while the number of those who believed that
6 this would not happen increased to 30%. Payre et al. (11) surveyed 421 French
7 drivers and found that 68.1% of study respondents would adopt fully automated
8 vehicles. Kyriakidis et al. (1) polled 5,000 respondents from 109 countries,
9 finding that high-income countries were particularly uncomfortable with the
10 transmission of their data to insurance companies, tax authorities or roadway
11 organizations and were most concerned about software issues (24). Also, they
12 were more likely to have a negative and less likely to have a positive opinion
13 about automated driving than people from low-income countries. On the basis of
14 these results, we expect:

15 *H17: High-income countries are less likely to accept and use*
16 *driverless vehicles than are low income-countries.*

17

18 **Conceptual Model**

19 On the basis of the above considerations, we derive a conceptual model that
20 consists of five blocks with multiple components. These are: external variables
21 (socio-demographics, mobility characteristics, vehicle characteristics, contextual
22 characteristics), psychological variables (locus of control, sensation seeking,
23 trust), variables from the UTAUT model (performance expectancy, effort
24 expectancy, social influence) the PAD framework (pleasure, arousal, dominance)
25 and the acceptance construct (efficiency, effectiveness, equity, satisfaction,
26 usefulness, willingness to pay, social acceptability, behavioral intention). In
27 addition to the hypotheses stated above, this model assumes that there are
28 relationships between the components of the model (these are depicted by arrows)
29 and between the variables within the components (these are not depicted by
30 arrows).

31

32

33

34

35

36

37

38

39

40

41

42

43

44


45

46

47

48

49



19 **Figure 1. 4P Acceptance Model**

20 **DISCUSSION**

21 To this point, we proposed a conceptual model theorizing the relationships
 22 between variables identified as a result of a synthesis on existing acceptance
 23 studies on automated driving and the scientific literature on technology
 24 acceptance. The model provides a detailed account of possible determinants of
 25 user acceptance that go beyond the mere attributes of driverless vehicles, but also
 26 include emotional and affective reactions to technology use. The model is
 27 currently descriptive and conceptual and may incorporate some built-in biases, as
 28 the current research on acceptance of automated driving is possibly skewed
 29 towards vehicle users that have not tested driverless vehicles. Therefore, in a next
 30 step, the model needs empirical validation and quantification involving users that
 31 not only use, but decide on and operate driverless vehicles. Users must involve
 32 not only potential early adopters and lead users, but also late adopters in order to
 33 make driverless vehicles a success. This is especially true in light of the heated
 34 debate on automated vehicles and potential consequences for society. One part of
 35 the empirical validation will take place by means of the WEpods pilot project,
 36 which will offer transport with driverless vehicles to ordinary customers on public
 37 roads, as mentioned in the introduction.

38 **CONCLUSION**

39 The available literature shows that the determinants of user acceptance of
 40 driverless vehicles are largely unknown. This is because previous acceptance
 41 studies on automated driving tend to focus either on automation levels lower than
 42 SAE level 4, often sampling users that have not had any concrete experiences with
 43 driverless vehicles. A conceptual model that explains acceptance of driverless
 44 vehicles is missing. Also missing is the incorporation of expectations and views of
 45 other stakeholders that are potentially involved in using, operating, or deciding on
 46 the implementation of driverless vehicles.

1 The main benefit of this paper is that it presents a summary of the status quo of
 2 acceptance studies on automated driving, which is translated into a conceptual
 3 model. This conceptual model has the advantage that it adopts a holistic and
 4 comprehensive view on user acceptance of driverless vehicles, because it
 5 identifies a relatively large number of factors that may determine user acceptance.

6 In addition, this paper proposed two new categories within SAE level 4
 7 automation to distinguish regular vehicles (4R) from ‘pod’ like vehicles (4P) or
 8 the evolutionary from the revolutionary approach to vehicle automation.

9 The model will be validated by empirical research in the context of separate pilot
 10 studies, each of which revisits the model. We will perform qualitative research
 11 with potential users and non-users, private and public decision makers, and
 12 operators with experiences with driverless vehicles in order to learn more about
 13 their perceptions and views. Questionnaires will be distributed before, during, and
 14 after taking a ride in a driverless vehicle to test users’ reactions and changes in
 15 acceptance levels. Longitudinal changes in acceptance, users’ daily mobility
 16 behavior, and transport modes used will be investigated as well as long-term
 17 strategic implications for key players in public transport and the auto industry.
 18

19 REFERENCES

- 20 1. Kyriakidis, M., Happee, R., and De Winter, J.C.F. 2014. Public opinion on
 21 automated driving: Results of an international questionnaire among 5,000
 22 respondents. *Transportation Research Part F: Traffic Psychology and Behavior*,
 23 32, 127-140.
- 24 2. SAE J3016, International. SAE International’s Draft Levels of Automation for
 25 On-Road Vehicles. 2014.
- 26 3. Google (2015). Google Self-Driving Car Project: Monthly Report: May 2015.
 27 [http://static.googleusercontent.com/media/www.google.com/de/selfdrivingcar/
 28 es/reports/report-0515.pdf](http://static.googleusercontent.com/media/www.google.com/de/selfdrivingcar/files/reports/report-0515.pdf). Accessed July 15, 2015.
- 29 4. CityMobil2 (2015). About CityMobil2. [http://www.citymobil2.eu/en/About-
 30 CityMobil2/Overview/](http://www.citymobil2.eu/en/About-CityMobil2/Overview/). Accessed September 14, 2015.
- 31 5. Bell, L. (2015). Autonomous vehicles hit the street in the UK’s first, driverless
 32 pod’ trial. [http://www.theinquirer.net/inquirer/news/2394681/autonomous-
 33 vehicles-hit-the-streets-in-the-uks-first-driverless-pod-trial](http://www.theinquirer.net/inquirer/news/2394681/autonomous-vehicles-hit-the-streets-in-the-uks-first-driverless-pod-trial). Accessed June 2,
 34 2015.
- 35 6. DAVI on the roads: WEpods project: <http://davi.connekt.nl/wepods-project/>.
 36 Accessed May 9, 2015.
- 37 7. Alessandrini, A., Cattivera, A., Holguin, C., & Stam, D. CityMobil2: Challenges
 38 and Opportunities of Fully Automated Mobility. In *Road Vehicle Automation:
 39 Lecture Notes In Mobility*. Springer International Publishing Switzerland, 2014,
 40 pp. 169-184.
- 41 8. Regan, M.A., Stevens, A., & Horberry, T. Driver Acceptance of New
 42 Technology: Overview. In: *Driver Acceptance of New Technology: Theory,
 43 Measurement and Optimization*. Ashgate Publishing Limited, 2014, 1-21.
- 44 9. Brookhuis, K.A., Van Driel, C.J.G., Hof, T., Van Arem, B., Hoedemaeker, M.
 45 (2008). Driving with a congestion assistant, mental workload and acceptance.
 46 *Applied Ergonomics*, 1019-1025.
- 47 10. Van der Laan, J.D., Heino, A., & De Waard, D. (1997). A simple procedure for
 48 the assessment of acceptance of advanced transport telematics. *Transportation
 49 Research Part C*, 5(1), 1-10.
- 50 11. Payre, W., Cestac, J., & Delhomme, P. (in press). Intention to use a fully
 51 automated car: Attitudes and a priori acceptability. *Transportation Research Part*

- 1 *F: Traffic Psychology and Behavior.*
- 2 12. Fraedrich, A., & Lenz, B. Gesellschaftliche und individuelle Akzeptanz des
3 autonomen Fahrens. In: *Autonomes Fahren*. The Editors and the Authors, 2015,
4 639-660.
- 5 13. Vilimek, R., & Keinath, A. User-Centred Design and Evaluation as a Prerequisite
6 for the Success of Disruptive Innovations: An Electric Vehicle Case Study. In:
7 *Driver Acceptance of New Technology: Theory, Measurement and Optimization*,
8 2014, pp. 169-186.
- 9 14. Skippon, S., & Garwood, M. (2011). Responses to battery electric vehicles: UK
10 consumer attitudes and attributions of symbolic meaning following direct
11 experience to reduce psychological distance. *Transportation Research Part D*, 16,
12 525-531.
- 13 15. Power, J. D. (2012). 2012 U.S. Automotive Emerging Technologies Study
14 Results. [http://autos.jdpower.com/content/press-release/gGOwCnW/2012-u-s-
15 automotive-emerging-technologies-study.htm](http://autos.jdpower.com/content/press-release/gGOwCnW/2012-u-s-automotive-emerging-technologies-study.htm). Accessed March 17, 2014.
- 16 16. Power, J. D. (2013). 2013 U.S. Automotive Emerging Technologies Study
17 Results. [http://autos.jdpower.com/content/study-auto/f85EfAp/2013-u-s-
18 automotive-emerging-technologies-study-results.htm](http://autos.jdpower.com/content/study-auto/f85EfAp/2013-u-s-automotive-emerging-technologies-study-results.htm). Accessed March 17, 2014.
- 19 17. Youngs, J. (2014). 201 U.S. Automotive Emerging Technologies Study Results.
20 [http://autos.jdpower.com/content/study-auto/1N3SbRs/2014-u-s-automotive-
21 emerging-technologies-study-results.htm](http://autos.jdpower.com/content/study-auto/1N3SbRs/2014-u-s-automotive-emerging-technologies-study-results.htm). Accessed September 12, 2015.
- 22 18. Vallet, M. (2013). Survey: Drivers ready to trust robot cars?
23 <http://www.carinsurance.com/Articles/autonomous-cars-ready.aspx.ready.aspx>.
24 Accessed May 5, 2014.
- 25 19. Schoettle, B., & Sivak, M. (2014). A Survey of Public Opinion about
26 Autonomous and Self-Driving Vehicles in the U.S., the U.K., and Australia.
27 Michigan, USA.
28 [http://deepblue.lib.umich.edu/bitstream/handle/2027.42/108384/103024.pdf?sequ
29 ence=1&isAllowed=y](http://deepblue.lib.umich.edu/bitstream/handle/2027.42/108384/103024.pdf?sequence=1&isAllowed=y). Accessed January 2, 2015.
- 30 20. Schoettle, B., & Sivak, M. (2015). Motorists' Preferences for Different Levels of
31 Vehicle Automation.
32 [http://deepblue.lib.umich.edu/bitstream/handle/2027.42/114386/103217.pdf?sequ
33 ence=1&isAllowed=y](http://deepblue.lib.umich.edu/bitstream/handle/2027.42/114386/103217.pdf?sequence=1&isAllowed=y). Accessed July 22, 2015.
- 34 21. KPMG. (2013). Self-driving cars: Are we ready?
35 [http://www.kpmg.com/US/en/IssuesAndInsights/ArticlesPublications/Documents/
36 self-driving-cars-are-we-ready.pdf](http://www.kpmg.com/US/en/IssuesAndInsights/ArticlesPublications/Documents/self-driving-cars-are-we-ready.pdf). Accessed May 5, 2014.
- 37 22. Sommer, K. (2013). Mobility Study 2013. [http://www.continental-
38 corporation.com/www/download/pressportal_jp_jp/general/ov_automated_driving
39 _jp/ov_mobility_study_jp/download_channel/pres_mobility_study_jp.pdf](http://www.continental-corporation.com/www/download/pressportal_jp_jp/general/ov_automated_driving_jp/ov_mobility_study_jp/download_channel/pres_mobility_study_jp.pdf).
40 Accessed April 2, 2014.
- 41 23. Continental (2015). Continental Mobility Study 2015.
42 [https://www.contionline.com/www/download/pressportal_com_en/themes/initiati
43 ves/chanel_mobility_study_en/ov_mobility_study2015_en/download_channel/mo
44 bistud2015_praesentation_en.pdf](https://www.contionline.com/www/download/pressportal_com_en/themes/initiatives/chanel_mobility_study_en/ov_mobility_study2015_en/download_channel/mobistud2015_praesentation_en.pdf). Accessed June 25, 2015.
- 45 24. Begg, D. (2014). A 2050 vision for London: What are the implications of
46 driverless transport. [http://www.transporttimes.co.uk/Admin/uploads/64165-
47 Transport-Times-A-2050-Vision-for-London_AW-WEB-READY.pdf](http://www.transporttimes.co.uk/Admin/uploads/64165-Transport-Times-A-2050-Vision-for-London_AW-WEB-READY.pdf). Accessed
48 September 3, 2014.
- 49 25. Casley, S. V., Jardim, A. S., & Quartulli, A. M. (2013). A Study of Public
50 Acceptance of Autonomous Cars. (Bachelor of Science), Worcester Polytechnic
51 Institute, Worcester, MA, USA.

- 1 [project-043013-155601/unrestricted/A_Study_Of_Public_Acceptance](#). Accessed
2 June 8, 2014.
- 3 26. Howard, D., & Dai, D. (2014). Public perceptions of self-driving cars: The case of
4 Berkeley, California. *Paper presented at the 93rd Annual Meeting TRB*,
5 Washington, DC. [http://www.danielledai.com/academic/howard-dai-](http://www.danielledai.com/academic/howard-dai-selfdrivingcars.pdf)
6 [selfdrivingcars.pdf](http://www.danielledai.com/academic/howard-dai-selfdrivingcars.pdf). Accessed July 15, 2014.
- 7 27. TNS Opinion & Social. (2015). Special Eurobarometer 427 „Autonomous
8 Systems”.
- 9 28. Kockelman, K.M., Bansal, P., & Singh, A. (2015). Assessing Public Acceptance
10 of and Interest in the New Vehicle Technologies: An Austin Perspective. Under
11 review for publication in *Transportation Research Part C*.
- 12 29. Seapine Software. (2014) Study finds 88% of adults would be worried about
13 riding in a driverless car. <http://www.seapine.com/pr.php?id=217>. Accessed
14 August 15, 2014.
- 15 30. Missel, J. (2014). Ipsos MORI Loyalty Automotive Survey. [http:// www.ipsos-](http://www.ipsos-mori.com/researchpublications/researcharchive/3427/Only-18-per-cent-of-Britons-believe-driverless-cars-to-be-an-important-development-for-the-car-industry-to-focus-on.aspx?utm_campaign_cmp_325684&utm_source=getnewsletter)
16 [mori.com/researchpublications/researcharchive/3427/Only-18-per-cent-of-](http://www.ipsos-mori.com/researchpublications/researcharchive/3427/Only-18-per-cent-of-Britons-believe-driverless-cars-to-be-an-important-development-for-the-car-industry-to-focus-on.aspx?utm_campaign_cmp_325684&utm_source=getnewsletter)
17 [Britons-believe-driverless-cars-to-be-an-important-development-for-the-car-](http://www.ipsos-mori.com/researchpublications/researcharchive/3427/Only-18-per-cent-of-Britons-believe-driverless-cars-to-be-an-important-development-for-the-car-industry-to-focus-on.aspx?utm_campaign_cmp_325684&utm_source=getnewsletter)
18 [industry-to-focus-](http://www.ipsos-mori.com/researchpublications/researcharchive/3427/Only-18-per-cent-of-Britons-believe-driverless-cars-to-be-an-important-development-for-the-car-industry-to-focus-on.aspx?utm_campaign_cmp_325684&utm_source=getnewsletter)
19 [on.aspx?utm_campaign_cmp_325684&utm_source=getnewsletter](http://www.ipsos-mori.com/researchpublications/researcharchive/3427/Only-18-per-cent-of-Britons-believe-driverless-cars-to-be-an-important-development-for-the-car-industry-to-focus-on.aspx?utm_campaign_cmp_325684&utm_source=getnewsletter). Accessed
20 July 12, 2015.
- 21 31. ACV Automobil-Club Verkehr (2015). ACV Akzeptanzstudie: Autonomes
22 Fahren. [http://www.acv.de/uploads/2015/02/acv-akzeptanzstudie-autonomes-](http://www.acv.de/uploads/2015/02/acv-akzeptanzstudie-autonomes-fahren.pdf)
23 [fahren.pdf](http://www.acv.de/uploads/2015/02/acv-akzeptanzstudie-autonomes-fahren.pdf). Accessed September 13, 2015.
- 24 32. Bazilinskyy, P., Kyriakidis, M., & De Winter, J. (2015). An internal
25 crowdsourcing study into people’s statements on fully automated driving.
26 *Procedia Manufacturing*, 3, 2534-2542.
- 27 33. Adell, E., Várhelyi, A., & Nilsson, L. The Definition of Acceptance and
28 Acceptability. In: *Driver Acceptance of New Technology: Theory, Measurement*
29 *and Optimization*, 2014, pp. 11-21.
- 30 34. Schade, J., & Schlag, B. (2003). Acceptability of urban transport pricing
31 strategies. *Transportation Research Part F: Traffic Psychology and Behavior*, 6
32 (1), 45-61.
- 33 35. Adell, E., Várhelyi, A., & Nilsson, L. How Is Acceptance Measured? Overview of
34 Measurement Issues, Methods and Tools. In: *Driver Acceptance of New*
35 *Technology: Theory, Measurement and Optimization*, 2014, pp. 73-88.
- 36 36. Adell, E., Várhelyi, A., & Nilsson, L. Modelling Acceptance of Driver Assistance
37 Systems: Application of the Unified Theory of Acceptance and Use of
38 Technology. In: *Driver Acceptance of New Technology: Theory, Measurement*
39 *and Optimization*, 2014, pp. 23-34.
- 40 37. Vlassenroot, S., & Brookhuis, K. Socio-Psychological Factors That Influence
41 Acceptability of Intelligent Transport Systems: A Model. In: *Driver Acceptance*
42 *of New Technology: Theory, Measurement and Optimization*, 2014, pp. 35- 50.
- 43 38. Venkatesh, V., Morris, M.G., Davis, G.B., & Davis, F.D. (2003). User acceptance
44 of information technology: toward a unified view. *MIS Quarterly*, 27(3), 425-478.
- 45 39. Kent, J. (2014). Driving to save time or saving time to drive? The enduring appeal
46 of the private car. *Transportation Research A*, 65, 103-115.
- 47 40. Rödel, C., Stadler, S., Meschtscherjakov, A., Tscheligi, M. (2014). Towards
48 Autonomous Cars: The Effect of Autonomy Levels on Acceptance and User
49 Experience. *AutomotiveUI*.
- 50 41. Choi, J.K., & Ji, Y.G. (2015). Investigating the Importance of Trust on Adopting
51 an Autonomous Vehicle. *International Journal of Human Computer Interaction*,

- 1 DOI: 10.1080/10447318.2015.1070549.
- 2 42. Vöge, T., & McDonald, M. User Needs Analysis for Automated Urban Transport
3 Systems - A Qualitative Approach.
- 4 43. Rudin-Brown, C.M., & Parker, H.A. (2004). Behavioral adaptation to adaptive
5 cruise control (ACC): Implications for preventive strategies. *Transportation*
6 *Research Part F: Traffic Psychology and Behavior*, 7, 59-76.
- 7 44. Alessandrini, A., Filippi, F., Gallais, G., Parent, M., & Stam, D. Park Shuttle II:
8 Review of the Antibes Experiment.
- 9 45. Körber, M., & Bengler, K. (2014). Potential Individual Differences Regarding
10 Automation Effects in Automated Driving. *Interacción '14 Proceedings of the XV*
11 *International Conference on Human Computer Interaction*, 22.