

Correction

Study on the controllability of the fabrication of single-crystal silicon nanopores/nanoslits with a fast-stop ionic current-monitored TSWE method (Microsystems & Nanoengineering, (2023), 9, 1, (63), 10.1038/s41378-023-00532-0)

Hong, Hao; Wei, Jiangtao; Lei, Xin; Chen, Haiyun; Sarro, Pasqualina M.; Zhang, Guoqi; Liu, Zewen

DOI

[10.1038/s41378-023-00564-6](https://doi.org/10.1038/s41378-023-00564-6)

Publication date

2023

Document Version

Final published version

Published in

Microsystems and Nanoengineering

Citation (APA)

Hong, H., Wei, J., Lei, X., Chen, H., Sarro, P. M., Zhang, G., & Liu, Z. (2023). Correction: Study on the controllability of the fabrication of single-crystal silicon nanopores/nanoslits with a fast-stop ionic current-monitored TSWE method (Microsystems & Nanoengineering, (2023), 9, 1, (63), 10.1038/s41378-023-00532-0). *Microsystems and Nanoengineering*, 9(1), Article 98. <https://doi.org/10.1038/s41378-023-00564-6>

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

CORRECTION

Open Access

Correction: Study on the controllability of the fabrication of single-crystal silicon nanopores/nanoslits with a fast-stop ionic current-monitored TSWE method

Hao Hong, Jiangtao Wei, Xin Lei, Haiyun Chen, Pasqualina M. Sarro, Guoqi Zhang and Zewen Liu

Correction to: *Microsystems & Nanoengineering*
<https://doi.org/10.1038/s41378-023-00532-0>
published online 16 May 2023

The original paper has been updated.

Published online: 25 July 2023

Correction Following publication of the original article¹, it was noticed that the phrase ‘DNA sequencing’ is incorrect, which should be replaced by ‘biosensing’.

Reference

1. Hong, H. et al. *Microsyst Nanoeng* **9**, 63, <https://doi.org/10.1038/s41378-023-00532-0> (2023).

