

Complexity of Scheduling Charging in the Smart Grid

Extended Abstract

de Weerd, Mathijs; Albert, Michael; Conitzer, Vincent; van der Linden, Koos

Publication date

2018

Document Version

Final published version

Published in

Proceedings of the 17th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2018)

Citation (APA)

de Weerd, M., Albert, M., Conitzer, V., & van der Linden, K. (2018). Complexity of Scheduling Charging in the Smart Grid: Extended Abstract. In *Proceedings of the 17th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2018)* (pp. 1924-1926). International Foundation for Autonomous Agents and Multiagent Systems (IFAAMAS). <https://dl.acm.org/citation.cfm?id=3238025>

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

Green Open Access added to TU Delft Institutional Repository

'You share, we take care!' – Taverne project

<https://www.openaccess.nl/en/you-share-we-take-care>

Otherwise as indicated in the copyright section: the publisher is the copyright holder of this work and the author uses the Dutch legislation to make this work public.

Complexity of Scheduling Charging in the Smart Grid

Extended Abstract

Mathijs M. de Weerd
Delft University of Technology
Delft, The Netherlands
M.M.deWeerd@tudelft.nl

Vincent Conitzer
Duke University
conitzer@cs.duke.edu

Michael Albert
Duke University
Durham, North Carolina, USA
malbert@cs.duke.edu

Koos van der Linden
Delft University of Technology
J.G.M.vanderLinden@tudelft.nl

ABSTRACT

The problem of optimally scheduling the charging demand of electric vehicles within the constraints of the electricity infrastructure is called the *charge scheduling problem*. The models of the charging speed, horizon, and charging demand determine the computational complexity of the charge scheduling problem. For about 20 variants the problem is either in P or weakly NP-hard and dynamic programs exist to compute optimal solutions. About 10 other variants of the problem are strongly NP-hard, presenting a potentially significant obstacle to their use in practical situations of scale.

KEYWORDS

Complexity Theory; Scheduling; Charging Electric Vehicles

ACM Reference Format:

Mathijs M. de Weerd, Michael Albert, Vincent Conitzer, and Koos van der Linden. 2018. Complexity of Scheduling Charging in the Smart Grid. In *Proc. of the 17th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2018), Stockholm, Sweden, July 10–15, 2018*, IFAAMAS, 3 pages.

1 INTRODUCTION

The problem of deciding when to charge electric vehicles [8] under a shared network constraint gives rise to a new class of scheduling problems. The defining difference from the traditional scheduling literature [5, 15] is that such charging jobs are more flexible: not only can they be shifted in time, but the charging speed can also be controlled. Additionally, the charging resources (“the machines” in ordinary scheduling) may vary over time [6, 14]. Further, providers that control flexible demand will need to solve such scheduling problems repeatedly. Therefore, it is important to understand when such problems can be solved optimally within the time limits required, and what aspects of the model make the problem intractable. We refer to this class of problems as the *charge scheduling problem*.

While the existing scheduling literature is extensive [5, 9, 15], the unique setting of charge scheduling gives rise to a number of novel variants of the general scheduling problem. The charge scheduling problem can be seen as a special case of the so-called resource-constrained project scheduling problem (RCPSP) [9] if additionally the problem is extended to deal with continuously

divisible resources [3, Ch.12.3], a varying availability of resources with time [10], and the possibility to schedule subactivities of the same activity in parallel, called fast tracking [17]. An initial investigation shows that minimizing the make-span for this extension, but for one resource and without preemption is strongly NP-hard even if there are only three processors available [4]. This NP-hardness result, however, does not apply to the charge scheduling problem, because of the difference in the objective and because in charge scheduling preemption is allowed. However, there are some directly applicable results for fixed supply: then the charge scheduling problem is equivalent to a multi-machine problem where all agents have an identical charging speed and the supply is a multiple of the charging speed. From this we immediately obtain a dynamic program and that this variant is weakly NP-hard [12, 13]. However, when supply (i.e., the number of machines) varies over time, or when charging speed limits (i.e., the maximum number of machines allowed for a single job) differ per agent, the existing literature does not readily provide an answer to the question of the charge scheduling problem complexity.

We identify over 30 variants, and in our full (IJCAI-ECAI-18) publication their computational complexity is proven, and for the easy problems a polynomial dynamic programming algorithm is provided [7].

2 THE CHARGE SCHEDULING PROBLEM

The availability of the supply at time t is represented by a value $m_t \in \mathbb{R}$, modeling for example remaining network capacity at a congestion point. This supply is allocated to a set of n agents, and the allocation to agent i is denoted by a function $a_i : T \rightarrow \mathbb{R}$. The value of an agent i for such an allocation is denoted by $v_i : [T \rightarrow \mathbb{R}] \rightarrow \mathbb{R}$. This value function for an allocation can represent both dynamic prices of charging in certain time slots as well as user preferences for when their vehicle is charged. In this paper, we focus on problems where the valuation function of agent i can be represented by triples of a value $v_{i,k}$, a deadline $d_{i,k}$ and a resource demand $w_{i,k}$, such that the value $v_{i,k}$ is obtained if and only if the demand $w_{i,k}$ is met by the deadline $d_{i,k}$. This allows the agent (app) to represent user preferences such as: “I value being able to go to work at \$100, I must leave for work at 8am, and it requires 25 kWh to complete the trip.” By adding a second deadline, the user could express: “I may suddenly fall ill, so I value having at least the option to take my car to urgent hospital care at 10pm at \$20, and it would require 10 kWh to complete that trip.”

Proc. of the 17th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2018), M. Dastani, G. Sukthankar, E. André, S. Koenig (eds.), July 10–15, 2018, Stockholm, Sweden. © 2018 International Foundation for Autonomous Agents and Multiagent Systems (www.ifaamas.org). All rights reserved.

				single deadline					
				<i>fixed charging speed</i>			<i>unbounded charging speed</i>		
$ T $	<i>gaps</i>			demand	demand	demand	demand	demand	demand
	constant	polynomial	unbounded	constant	polynomial	unbounded	constant	polynomial	unbounded
$O(1)$	P	P	weak NP-c	P	P	weak NP-c	P	P	weak NP-c
$O(n^c)$	strong NP-c	strong NP-c	strong NP-c	?	?	? NP-c	P	P	weak NP-c
				multiple deadlines					
$O(1)$	P	P	weak NP-c	P	P	weak NP-c	P	P	weak NP-c
$O(n^c)$	strong NP-c	strong NP-c	strong NP-c	strong NP-c	strong NP-c	strong NP-c	strong NP-c	strong NP-c	strong NP-c

Table 1: Problem complexity of variants with a single deadline per agent (top) and multiple deadlines (bottom), where “? NP-c” means that the problem variant is NP-complete, but it is an open problem whether this is strong or weak.

To be able to express such a valuation function concisely, we denote the total amount of resources allocated to an agent i up to and including interval t by $\bar{a}_i(t) = \sum_{t'=1}^t a_i(t')$. We then write

$$v_i(a_i, v_{i,k}, d_{i,k}, w_{i,k}) = \begin{cases} v_{i,k} & \text{if } \bar{a}_i(d_{i,k}) \geq w_{i,k} \\ 0 & \text{otherwise} \end{cases}$$

and $v_i(a_i) = \sum_{k \in K(i)} v_i(a_i, v_{i,k}, d_{i,k}, w_{i,k})$, where $|K(i)|$ is the number of deadlines for i .

We aim to find an allocation that maximizes social welfare subject to the resource constraints, i.e.,

$$\begin{aligned} & \max && \sum_i v_i(a_i) \\ & \text{subject to} && \sum_i a_i(t) \leq m_t \text{ for every } t \end{aligned}$$

We then consider the following dimensions:

- Each agent i has a maximum *charging speed* s_i and for all t and i , $a_i(t) \leq s_i$. We consider three variants of such a constraint: *fixed* means that the maximum charging speed is the same at all times, *unbounded* means that there is no bound on the charging speed for each individual agent, and *gaps* means that the maximum charging speed may be 0 for some time steps and unbounded for others.
- The number of *periods* T is *constant* (denoted by $O(1)$) when there is an a-priori known number of periods for all instances of the problem, while we say it is *polynomially bounded* ($O(n^c)$) when the number of periods may be large, but is bounded by a polynomial function of the input size.
- The model of the *demand* $d_{i,k}$ is *constant* when $d_{i,k} \leq D$ for all i, k and this D is an a-priori known constant, it is *polynomial* when each $d_{i,k}$ is bounded by a polynomial function of the input size, and it is *unbounded* when there is no bound on the demand size.
- We can have either a *single deadline* per agent, $k = 1$, or *multiple deadlines* where there may be more than one value-demand-deadline triple.

The overview of the the complexity of the charge scheduling problem along these dimensions can be found in Table 1.

3 DISCUSSION AND FUTURE WORK

These complexity results provide an important step towards practical applicability. However, a number of questions are still open.

First, the hardness results for instances with three deadlines extend to any constant number of deadlines at least three, and we have separate results for most of the single-deadline cases. However, it is open exactly what happens with two deadlines (except that it is at least as hard as with one deadline).

Second, if the number of time periods is constant but too large, the dynamic programs we use to prove weak NP-hardness do not scale to realistic problem instances [7]. Therefore, a relevant direction for future work is to develop fast heuristic algorithms.

Third, the results presented are realistic if good predictions for future supply and demand are available (such as based on weather predictions and historical charging patterns, which can be quite accurate for larger groups). If these predictions are only somewhat good, it becomes important to explicitly think about charge scheduling as an online problem [1], where we will want to re-solve the offline problem at each point in time. Although our hardness results still apply, this opens new questions, such as the competitive performance of on-line algorithms (compared to off-line). For deterministic algorithms we can conclude from [2] that if realized charging speeds needs to be either the maximum or 0, no constant competitive algorithm exists. However, algorithms exist for other variants, e.g., without the supply constraint [16] or with a weak supply constraint [18], and there exist randomized algorithms for other variants of on-line scheduling [11]. It remains an open question which of these can be effectively applied to an on-line variant of the charge scheduling problem and how they would perform against simpler heuristics.

Acknowledgements

This work is part of the URSES+ research programme, which is (partly) financed by the Netherlands Organisation for Scientific Research (NWO). Conitzer is thankful for support from NSF under awards IIS-1527434 and CCF-1337215.

REFERENCES

- [1] Susanne Albers. 2009. Online Scheduling. In *Introduction to Scheduling*, Yves Robert and Frederic Vivien (Eds.). CRC Press, Chapter 3, 51–73.
- [2] Amotz Bar-Noy, Ran Canetti, Shay Kutten, Yishay Mansour, and Baruch Schieber. 1995. Bandwidth allocation with preemption. In *Proceedings of the 27th Annual ACM Symposium on Theory of Computing*. ACM, 616–625.
- [3] Jacek Blażewicz, Klaus H. Ecker, Erwin Pesch, Günter Schmidt, and Jan Weglarz. 2007. *Handbook on scheduling: from theory to applications*. Springer Science & Business Media.
- [4] Jacek Blażewicz, Jan Karel Lenstra, and A. H. G. Rinnooy Kan. 1983. Scheduling subject to resource constraints: classification and complexity. *Discrete Applied Mathematics* 5, 1 (1983), 11–24.
- [5] Peter Brucker. 2007. *Scheduling algorithms*. Springer Verlag.
- [6] Frits de Nijs, Matthijs T. J. Spaan, and Mathijs M. de Weerd. 2015. Best-Response Planning of Thermostatically Controlled Loads under Power Constraints. In *Proceedings of the 29th AAAI Conference on Artificial Intelligence*. 615–621.
- [7] M.M. de Weerd, M. Albert, V. Conitzer, and K. van der Linden. 2018. Complexity of Scheduling Charging in the Smart Grid. In *Proceedings of the 27th International Joint Conference on Artificial Intelligence and the 23rd European Conference on Artificial Intelligence*.
- [8] J. Garcia-Villalobos, I. Zamora, J. I. San Martín, F. J. Asensio, and V. Aperribay. 2014. Plug-in electric vehicles in electric distribution networks: A review of smart charging approaches. *Renewable and Sustainable Energy Reviews* 38 (2014), 717–731.
- [9] Sönke Hartmann and Dirk Briskorn. 2010. A survey of variants and extensions of the resource-constrained project scheduling problem. *European Journal of Operational Research* 207, 1 (2010), 1–14.
- [10] Robert Klein. 2000. Project scheduling with time-varying resource constraints. *International Journal of Production Research* 38, 16 (2000), 3937–3952.
- [11] Gilad Koren and Dennis Shasha. 1995. D^{over} : An Optimal On-Line Scheduling Algorithm for Overloaded Uniprocessor Real-Time Systems. *SIAM J. Comput.* 24, 2 (1995), 318–339.
- [12] E. L. Lawler. 1983. Recent results in the theory of machine scheduling. In *Mathematical programming the state of the art*. Springer, 202–234.
- [13] Eugene L. Lawler and Charles U. Martel. 1989. Preemptive scheduling of two uniform machines to minimize the number of late jobs. *Operations Research* 37, 2 (1989), 314–318.
- [14] Rens Philipsen, Germán Morales-España, Mathijs de Weerd, and Laurens de Vries. 2016. Imperfect Unit Commitment decisions with perfect information: A real-time comparison of energy versus power. In *2016 Power Systems Computation Conference (PSCC)*. IEEE, 1–7.
- [15] Michael Pinedo. 2012. *Scheduling: theory, algorithms, and systems*. Springer Science+ Business Media.
- [16] Wanrong Tang, Suzhi Bi, and Ying Jun Angela Zhang. 2014. Online coordinated charging decision algorithm for electric vehicles without future information. *IEEE Transactions on Smart Grid* 5, 6 (2014), 2810–2824.
- [17] Mario Vanhoucke and Dieter Debelis. 2008. The impact of various activity assumptions on the lead time and resource utilization of resource-constrained projects. *Computers & Industrial Engineering* 54, 1 (2008), 140–154.
- [18] Zhe Yu, Shiyao Chen, and Lang Tong. 2016. An intelligent energy management system for large-scale charging of electric vehicles. *CSEE Journal of Power and Energy Systems* 2, 1 (2016), 47–53.